

R e g No.	Codon Flock No.	Birth date	Birth type	Age of Dam	Start Wt. 9/26	Final Wt. 2/13	ADG		Fleece				Fiber Diameter, microns				Scores			Scrot. circ. cm.	Fat Depth in.	Ribeye Area sq.in.	ROM Index	Fat Index Ratio	
							Total lbs	Body lbs	Gr. Wt.	Yield (%)	Clean Wt.	Stap. len.	Core AFD	CV	Side	Britch	Comfort (%)	Face Cover	Belly Wool						Body Folds
Pen 1 Menzies, C & S, San Angelo																									
Sire:CSM 3138																									
Com	1	3280	11/ .6 S	.	145	264	.85	.78	24.6	45.3	11.1	5.5	22.5	21.1	22.7	25.2	97.2	0.9	1.2	1.3	36.5	.42	2.95	115.86	95.5
Reg	2	3261	12/ .6 S	3	133*	255	.87	.81	20.8	50.2	10.4	5.7	19.5	22.5	20.1	21.9	99.1	1.2	1.3	1.1	38.5	.47	3.52	120.90	99.6
Reg	3	3264	2/ .7 S	5	126	256	.93	.87	22.0	44.4	9.7	4.7	21.4	25.2	21.8	25.0	96.0	1.0	1.7	1.4	37.0	.28	3.37	110.42	95.1
Reg	4	3276	3/ .7 S	4	129	277	1.06	1.00	19.0	40.5	7.7*	4.8	20.6	21.6	22.3	24.2	98.9	0.8	1.3	1.3	40.0	.37	3.34	117.91	101.5
Sire:CSM 3217																									
Reg	5	3279	4/ .7 S	5	112	250	.99	.93	21.0	52.5	11.0	5.7	21.1	19.9	22.2	25.1	98.2	1.2	1.2	1.3	37.2	.33	3.00	129.68	111.6
Pen 2 Gainer Ranch, Menard																									
Sire:CSM 3113																									
Reg	6	1404	RR 2/ 7/7 TR	5	132	282	1.07	1.02	20.3	43.8	8.9*	4.3	21.4	24.5	23.0	25.3	97.2	2.6	1.3	1.3	37.0	.35	3.29	115.03	99.0
Reg	7	7039	QR 2/16/7 TW	5	128	284	1.11	1.05	24.6	39.0	9.6	5.1	22.1	20.2	23.5	24.3	97.5	1.0	1.7	1.3	39.2	.44	3.72	126.18	108.6
Reg	8	1429	QQ 3/11/7 S	2	137	260	.88	.83	16.8	43.3	7.3*	5.3	20.9	21.8	22.3	25.5	98.1	0.9	1.1	1.2	39.0	.34	3.61	106.37	91.6
Reg	9	1434	QR 2/19/7 TW	6	120	255	.96	.90	22.9	38.4	8.8*	5.3	20.9	21.1	21.4	24.7	98.1	1.1	1.7	1.2	39.1	.31	3.18	117.37	101.0
Pen 3 Jennings, J.W., Menard																									
Sire:JW Ranch 688																									
Reg	11	726	RR 1/14/7 S	4	158	267	.78	.72	21.1	47.2	10.0	5.6	22.1	20.3	22.6	27.8	97.1	1.2	1.5	1.1	38.0	.31	3.03	109.72	94.5
Reg	12	727	QR 2/10/7 S	4	166	267	.72	.67	19.4	41.3	8.0*	4.9	21.7	20.5	22.9	27.1	98.4	1.4	1.7	1.2	41.0	.51	3.26	97.41	83.9
Pen 4 Schunke Ranch, Goldthwaite																									
Sire:SCHUNKE 1878																									
Reg	13	2306	2/ 3/7 S	7	129	259	.93	.86	24.5	43.3	10.6	6.1	22.7	20.4	22.2	26.4	96.5	1.0	1.3	1.3	39.2	.32	3.02	118.70	102.2
Sire:SCHUNKE 1949																									
Reg	14	2303	10/27/6 S	4	173	287	.81	.74	25.8	50.5	13.1	5.7	24.3*	19.8	25.4*	28.7*	93.5	2.7*	1.0	1.5	40.1	.26	3.59	117.37	96.7
Sire:SCHUNKE 2019																									
Reg	15	2305	10/26/6 TW	9	172	311	.99	.91	28.4	46.2	13.1	6.1	23.1	22.2	24.9	26.6	95.6	1.0	1.3	1.2	41.0	.41	3.49	128.48	105.9
Sire:SCHUNKE 2020																									
Reg	16	2304	10/23/6 S	5	172	311	.99	.92	27.7	42.0	11.6	5.6	22.6	22.2	24.1	24.7	94.4	1.0	1.4	1.3	41.5	.30	3.44	124.03	102.2
Pen 6 Texas Sheep Co., T.Jones, Fredericksburg																									
Sire:HAGEMAN 3051																									
Reg	17	486	RR 3/ 6/7 TW	3	123	255	.94	.89	18.4	54.3	10.0	5.5	20.2	22.1	20.1	23.3	99.3	0.6	1.4	1.2	37.0	.26	3.14	123.48	106.3
Reg	18	491	QR 3/10/7 S	2	122	280	1.13	1.06	26.2	53.0	13.9	5.4	22.0	18.8	22.9	25.3	98.4	1.2	1.2	2.1	39.2	.26	3.41	147.44	126.9
Reg	19	492	RR 3/10/7 TW	3	115	269	1.10	1.04	22.0	50.2	11.0	5.2	21.0	19.8	22.2	24.1	98.6	1.0	1.1	1.6	40.5	.41	2.97	135.65	116.8
Reg	20	493	QR 3/10/7 TW	3	118	258	1.00	.95	19.3	52.5	10.1	5.1	21.8	20.7	24.0	26.2	97.8	1.0	1.3	1.4	37.5	.36	3.42	122.68	105.6
Reg	21	494	QR 3/10/7 S	2	120	242	.87	.81	20.5	45.2	9.3	5.2	21.1	20.0	22.6	24.1	99.1	1.2	1.3	1.5	40.9	.25	3.00	114.57	98.6
Reg	23	523	QR 3/31/7 S	5	119	241	.87	.81	23.5	43.3	10.2	6.0	18.9	18.2	19.9	21.3	99.8	1.1	1.2	1.3	37.0	.38	3.34	124.95	107.6
Sire:T.JONES 331																									
Reg	24	470	RR 2/12/7 TW	2	108	249	1.01	.94	24.6	49.3	12.1	6.6	21.9	16.7	23.1	23.3	98.8	1.0	1.0	1.3	40.5	.27	3.01	135.01	116.2
Reg	25	476	QR 2/22/7 S	2	133	257	.89	.82	22.3	48.3	10.8	5.4	20.4	19.1	21.7	23.2	99.1	1.1	1.2	1.6	37.0	.48	2.75	125.36	107.9
Reg	26	482	RR 3/ 2/7 TW	4	117	247	.93	.86	25.4	52.1	13.2	6.2	21.3	22.9	22.5	23.9	98.8	1.0	1.0	1.6	42.0	.32	3.04	130.01	111.9

\* after a value indicates reason this ram was not eligible for certification

R e g No.	Codon Flock No.	Birth date	Age Birth type	Start of Dam	Final Wt. 9/26	Final Wt. 2/13	ADG		Fleece			Fiber Diameter, microns				Scores			Scrot. Fat Ribeye																									
							Total lbs	Body lbs	Gr. Wt.	Yield (%)	Clean Wt.	Stap. len.	Core AFD	CV	Side	Britch	Comfort (%)	Face Cover	Belly Wool	Body Folds	circ. cm.	Depth in.	Area sq.in.	ROM Index	Index Ratio																			
Pen 8																							Kerr Brothers, Mertzon				Sire:JW Ranch 687																	
Reg	27	16	2/12/7	TR	4	164	285	.86	.80	24.4	44.9	10.9	4.8	22.3	22.5	23.6	26.9	96.0	1.4	1.7	1.3	40.5	.25	2.91	111.98	96.4																		
Reg	28	17	2/19/7	TW	5	144	258	.81	.75	21.9	48.6	10.7	5.8	23.1	20.5	23.3	27.6	95.6	1.0	1.4	1.3	40.0	.34	3.46	111.04	95.6																		
Sire:JW Ranch 689																																												
Reg	29	18	2/24/7	TW	6	149	232	.59	.53	23.0	39.8	9.1	4.0	21.5	24.0	22.1	25.7	97.4	1.5	1.4	2.1	37.0	.43	2.70	86.16	74.2																		
Pen 9																							Texas Ramb. Sup. Gen. (TRSG), San Angelo				Sire:ASU 1045																	
Reg	30	1538	QR	2/15/7	S	3	139	271	.94	.87	24.5	50.5	12.4	5.8	22.2	21.4	23.6	26.0	96.1	0.8	1.0	1.2	38.0	.31	3.41	126.77	109.1																	
Reg	31	1544	QR	2/15/7	S	3	143	278	.96	.90	22.9	42.7	9.8	4.9	21.6	20.4	24.3	25.8	98.5	2.5	1.3	1.2	37.9	.38	3.40	118.73	102.2																	
Reg	32	1590	QQ	3/ 1/7	S	5	108	261	1.09	1.02	26.0	44.3	11.5	5.6	20.6	22.8	22.3	23.6	98.6	2.9*	1.5	1.6	38.0	.42	3.59	135.19	116.4																	
Sire:ASU 5554																																												
Reg	33	1553	QR	2/15/7	S	2	124	258	.96	.89	24.6	41.6	10.2	5.3	22.5	19.9	24.1	26.8	97.4	0.8	1.6	1.4	40.0	.36	3.11	119.28	102.7																	
Reg	34	1555	QR	2/15/7	S	6	137	248	.79	.73	20.8	47.5	9.9	5.2	19.5	19.9	20.1	21.8	99.4	1.0	1.5	1.2	40.0	.27	3.34	116.08	99.9																	
Reg	35	1559		2/15/7	S	7	115	246	.94	.88	21.1	46.3	9.8	5.2	20.8	22.4	21.5	24.0	98.2	1.5	2.0	1.1	38.0	.32	2.86	118.21	101.8																	
Sire:CSM 2626																																												
Reg	36	1540	QQ	2/15/7	S	6	147	269	.87	.81	23.6	46.3	11.0	5.6	20.9	24.7	21.8	23.1	98.3	0.9	1.4	1.3	37.2	.31	3.24	116.85	100.6																	
Reg	37	1545	QR	2/15/7	S	4	115	279	1.17	1.10	25.2	48.4	12.2	5.9	21.6	21.8	22.6	24.7	97.6	1.0	1.2	1.2	41.0	.30	3.39	140.88	121.3																	
Sire:TRSG 773																																												
Reg	38	1512	QR	2/ 6/7	S	3	139	285	1.04	.96	28.6	45.9	13.1	6.3	20.9	22.0	22.0	25.3	98.6	0.9	1.5	1.3	39.0	.38	3.01	138.36	119.1																	
Reg	39	1527	QQ	2/15/7	S	2	127	279	1.09	1.02	24.7	43.0	10.6	5.5	21.5	19.5	22.1	24.1	98.6	1.0	1.2	1.3	39.1	.33	2.86	132.87	114.4																	
Reg	40	1589	QQ	3/ 1/7	S	3	115	279	1.17	1.08	34.2	41.6	14.2	5.6	20.5	23.0	21.6	25.3	98.4	0.8	1.0	1.5	40.0	.28	2.98	149.67	128.9																	
Reg	41	1610	QQ	3/10/7	TW	2	105	249	1.03	.95	27.8	42.5	11.8	6.2	22.6	20.8	23.4	25.4	95.1	1.0	1.3	1.4	36.0	.28	3.50	128.84	110.9																	
Reg	42	1639	QQ	3/25/7	TW	8	96*	246	1.07	1.02	18.1	41.9	7.6*	4.7	19.8	20.9	19.2	22.8	99.1	1.0	1.6	1.3	37.5	.29	3.52	120.61	103.8																	
Reg	43	1720	QQ	5/10/7	S	5	117	228	.79	.73	24.2	40.5	9.8	5.4	19.7	21.6	20.1	23.9	99.5	1.0	1.3	1.3	32.5	.28	2.56	113.88	98.0																	
Sire:TRSG 902																																												
Reg	44	1518	QQ	2/ 6/7	TW	6	114	246	.94	.86	28.4	44.8	12.7	6.5	22.3	22.4	22.1	26.8	96.6	1.5	1.1	1.5	35.0	.31	2.98	126.06	108.5																	
Pen 13																							BP Ranch Co. Robert Pfluger, San Angelo				Sire:																	
Com	47	69	3/ .7	S	.	98*	204	.76	.71	18.6	50.1	9.3	6.4	19.2	24.7	19.6	22.8	98.8	0.7	1.5	1.2	33.5	.25	3.12	107.28	92.4																		
Com	48	70	3/ .7	S	.	104	221	.84	.77	23.5	44.9	10.6	5.7	20.7	22.5	21.2	24.3	98.1	0.9	1.4	1.4	35.1	.32	3.31	116.45	100.2																		
Com	49	71	3/ .7	S	.	100	210	.79	.73	21.6	51.9	11.2	6.6	20.4	24.7	21.6	25.1	99.0	1.0	1.1	1.3	32.6	.28	2.67	114.35	98.4																		

\* after a value indicates reason this ram was not eligible for certification

R g No.	Codon No. 171	Flock date	Birth type	Age of Dam	Start Wt. 9/26	Final Wt. 2/13	ADG		Fleece				Fiber Diameter, microns				Scores			Scrot. Fat Ribeye					
							Total lbs	Body lbs	Gr. Wt.	Yield (%)	Clean Wt.	Stap. len.	Core AFD	CV	Side	Britch	Comfort (%)	Face Cover	Belly Wool	Body Folds	circ. cm.	Depth in.	Area sq.in.	ROM Index	Index Ratio
Pen 14 TAES, Sonora, Sonora																									
Sire:TAES 8117																									
Reg	51	8404	4/ .77 S	6	89*	230	1.01	.95	18.8	45.6	8.6*	5.1	18.8	23.2	19.8	22.9	99.4	0.9	1.3	1.4	39.2	.29	2.82	119.52	102.9
Sire:TAES 8121																									
Reg	52	8468	4/ .77 S	3	88*	224	.97	.91	22.5	50.6	11.4	6.1	20.0	21.7	21.5	23.4	98.7	1.0	1.3	1.3	34.8	.28	2.63	131.20	112.9
Reg	53	8484	4/ .77 S	4	102	256	1.10	1.01	30.9	46.1	14.3	5.9	20.9	19.5	21.8	24.8	98.9	0.6	1.2	1.8	40.0	.32	3.10	149.05	128.3
Sire:TAES 8036																									
Reg	54	8439	4/ .77 S	2	80*	207	.91	.85	19.2	42.3	8.1*	5.5	19.4	23.5	20.6	23.2	99.1	0.6	1.5	1.4	34.5	.34	2.73	112.81	97.1
Sire:TAES B3252																									
Reg	55	8442	4/ .77 S	4	76*	216	1.00	.94	20.9	41.8	8.7*	5.5	19.6	21.8	21.0	21.7	99.2	1.1	1.5	1.4	37.0	.27	3.10	122.66	105.6
Pen 16 Powell, James L., FT. MCKAVETT																									
Sire:																									
Com	56	701	2/ .77 S	.	142	281	.99	.93	24.4	51.2	12.5	5.8	21.3	19.7	21.3	24.5	97.6	0.7	1.3	1.3	37.8	.42	3.40	135.14	116.3
Com	57	702	2/ .77 S	.	134	243	.78	.72	19.9	46.7	9.3	5.6	21.3	20.9	22.0	27.2	97.8	0.7	1.0	1.3	33.0	.27	2.77	108.88	93.7
Com	58	703	2/ .77 S	.	132	245	.81	.75	19.9	46.9	9.3	5.4	21.7	18.1	22.2	23.9	98.7	1.0	1.2	1.2	37.7	.35	3.40	112.40	96.8
Com	59	704	2/ .77 S	.	138	228	.64	.59	17.7	55.4	9.8	5.4	23.8	23.4	24.3	30.9*	90.9	0.6	1.1	1.3	36.0	.29	3.30	92.26	79.4
Com	60	705	2/ .77 S	.	127	243	.83	.77	21.1	42.0	8.8*	4.4	24.1*	23.5	25.5*	29.9*	91.6	0.7	1.5	1.4	37.5	.29	2.92	93.81	80.8
Com	61	706	2/ .77 S	.	119	224	.75	.69	22.5	48.2	10.8	5.7	20.7	21.8	21.3	24.4	98.8	0.6	1.4	1.3	36.1	.34	3.02	113.55	97.7
Com	62	707	2/ .77 S	.	133	254	.86	.79	25.0	41.0	10.2	4.8	23.5	21.1	24.1	27.6	93.3	1.0	1.1	1.6	36.2	.47	3.29	107.28	92.4
Com	63	708	2/ .77 S	.	123	228	.75	.69	20.5	51.4	10.5	4.9	22.7	19.1	24.0	28.8*	96.1	0.8	1.1	1.3	38.0	.27	3.12	107.82	92.8
Com	64	709	2/ .77 S	.	111	205	.67	.60	24.2	39.6	9.6	5.2	22.8	21.2	23.8	27.0	94.8	0.8	1.1	1.4	38.0	.46	3.09	96.70	83.3
Com	65	710	2/ .77 S	.	138	251	.81	.75	19.8	55.5	11.0	6.0	19.8	21.4	20.8	23.2	98.9	0.9	1.3	1.3	36.2	.35	3.19	120.82	104.0
Com	66	711	2/ .77 S	.	133	250	.84	.77	22.5	47.2	10.6	5.3	20.5	22.3	20.6	25.4	98.4	0.9	1.2	1.6	36.2	.37	3.34	116.88	100.6
Com	67	712	2/ .77 S	.	121	239	.84	.78	21.5	42.9	9.2	5.3	21.1	20.7	21.0	24.7	97.6	0.9	1.4	1.2	34.3	.26	3.11	111.97	96.4
Com	69	714	2/ .77 S	.	133	251	.84	.79	18.6	42.5	7.9*	5.0	20.7	21.1	21.9	25.9	98.2	0.8	1.8	1.2	37.2	.39	3.10	106.97	92.1
Com	70	715	2/ .77 S	.	139	243	.74	.69	19.4	47.7	9.3	5.0	22.9	20.2	24.2	27.4	95.9	0.5	1.5	1.4	37.8	.26	2.91	100.67	86.7
Com	71	716	2/ .77 S	.	127	233	.76	.71	18.3	45.4	8.3*	5.0	21.3	24.6	21.0	23.7	98.6	0.9	1.6	1.3	37.0	.36	3.22	97.36	83.8
Com	72	717	2/ .77 S	.	117	216	.71	.66	17.1	49.3	8.4*	5.1	20.9	18.2	21.7	25.7	99.1	1.0	1.5	1.2	36.0	.38	2.52	104.20	89.7
Com	73	718	2/ .77 S	.	143	252	.78	.73	18.0	49.7	9.0*	5.3	19.6	25.2	20.0	22.6	99.0	0.7	1.4	1.3	37.0	.40	3.10	105.67	91.0
Com	74	719	2/ .77 S	.	120	232	.80	.74	20.5	49.2	10.1	5.3	21.1	22.8	22.6	24.7	97.5	0.8	1.4	1.3	38.0	.24	2.97	110.35	95.0
Com	75	720	2/ .77 S	.	116	227	.79	.73	21.7	39.0	8.5*	4.7	20.4	24.5	21.2	23.9	98.5	1.1	1.1	1.3	35.3	.37	2.98	101.28	87.2
Com	76	721	2/ .77 S	.	123	250	.91	.86	18.2	39.4	7.2*	4.2	21.1	23.1	21.7	27.7	97.3	0.6	1.5	1.3	38.9	.44	2.86	100.98	86.9
Com	77	722	2/ .77 S	.	137	244	.76	.70	21.6	42.5	9.2	4.7	22.2	21.4	22.1	27.6	95.8	1.0	1.6	1.3	37.2	.27	3.15	100.53	86.5
Com	78	723	2/ .77 S	.	125	234	.78	.72	21.6	44.7	9.7	4.9	21.8	24.4	22.1	25.8	95.1	1.0	1.1	1.4	36.0	.42	2.88	101.82	87.7
Com	79	724	2/ .77 S	.	123	232	.78	.73	16.0	50.2	8.0*	4.9	20.5	21.0	20.7	24.8	98.6	0.9	1.6	1.2	36.5	.25	3.11	104.31	89.8
Com	80	725	2/ .77 S	.	133	260	.91	.85	20.5	50.2	10.3	5.5	21.1	23.4	21.9	27.5	98.2	0.8	1.5	1.3	38.0	.27	3.11	118.05	101.6
Com	81	726	2/ .77 S	.	120	234	.81	.76	19.2	48.9	9.4	5.0	19.2	23.2	19.4	23.5	99.5	1.0	2.4	1.2	35.2	.38	3.30	110.70	95.3
Com	82	727	2/ .77 S	.	130	223	.66	.60	22.1	48.2	10.7	5.3	21.8	20.9	21.8	25.9	97.0	0.9	1.7	1.4	33.0	.26	2.78	104.57	90.0
Com	83	728	2/ .77 S	.	127	230	.74	.69	17.8	50.2	9.0*	5.5	21.0	21.5	22.1	23.9	98.3	0.6	1.2	1.3	32.0	.26	3.08	105.31	90.7
Com	84	729	2/ .77 S	.	129	240	.79	.74	17.9	49.1	8.8*	5.1	21.9	22.0	23.7	27.8	96.9	0.5	1.8	1.3	35.6	.40	3.44	103.14	88.8
Com	85	730	2/ .77 S	.	131	243	.80	.74	20.2	47.0	9.5	5.2	21.8	19.9	22.6	26.2	97.7	1.0	2.4	1.3	40.0	.33	2.97	109.39	94.2
Com	86	731	2/ .77 S	.	119	226	.76	.70	24.3	47.5	11.5	5.6	23.3	24.2	23.8	27.5	90.9	0.9	1.1	1.4	36.2	.35	3.09	106.09	91.3
Com	87	732	2/ .77 S	.	115	264	1.06	1.00	24.0	45.3	10.9	5.4	21.8	23.1	22.7	27.2	96.5	0.9	1.4	1.3	37.0	.29	2.89	126.76	109.1

\* after a value indicates reason this ram was not eligible for certification